



## WiZ Bulb A60 E27 x2

**Brand :** WiZ

**Product code:** 8719514550070

**Product name :** Bulb A60 E27 x2

- Smart dimming
- Easy plug and play
- Control from anywhere
- Automate your light with schedules
- Energy monitoring
- Customised Scenes
- Soft warm white light
- Voice control

2x E27, 806 lumen, 2700 K, A+

### WiZ Bulb A60 E27 x2:

Enjoy more convenience in everyday life with this smart WiZ LED A60 bulb. This bulb gives soft white light that dims to your desired brightness level via app or voice. You can set schedule to turn lights on and off according to your daily or weekly routines, and have remote access to your lights even when you're away. WiZ lights connect to your existing Wi-Fi, no additional hardware is needed.

WiZ Bulb A60 E27 x2. Type: Smart bulb, Product colour: White, Interface: Wi-Fi. Energy efficiency class: F, AC input voltage: 220 - 240 V, AC input frequency: 50/60 Hz. Width: 60 mm, Depth: 122 mm, Height: 122 mm. Package width: 14 mm, Package depth: 70 mm, Package height: 16 mm. Quantity per pack: 2 pc(s)



Features		Features	
Type *	Smart bulb	Product title	Wi-Fi BLE 60W A60 E27 927 DIM 2PF/6
Bulb type	LED	<b>Power</b>	
Fitting/cap type	E27	Energy efficiency class	F
Light colour	Soft white	AC input voltage	220 - 240 V
Colour temperature (min)	2700 K	AC input frequency	50/60 Hz
Colour temperature (max)	2700 K	Rated power	8 W
Luminous flux	806 lm	<b>Weight &amp; dimensions</b>	
Bulb power	8 W	Width	60 mm
Equivalent bulb power	60 W	Depth	122 mm
Bulb lifetime	25000 h	Height	122 mm
Rated lifetime	25000 h	Length	12.2 cm
Product colour *	White	Weight	120 g
Interface *	Wi-Fi	<b>Packaging data</b>	
Dimmable	✓	Package width	14 mm
Replacement bulb power (max)	8 W	Package depth	70 mm
Bulb size	A60	Package height	16 mm
Color Rendering Index (CRI)	90	Package length	7 mm
Warm-up time to 60% light	Tänds direkt	Package net weight	120 g
Number of switch cycles	50000	Package gross weight	180 g
Start-up time	0.5 s	<b>Packaging content</b>	
Glass type	Matt	Quantity per pack *	2 pc(s)
Lumen maintenance factor	70%	<b>Technical details</b>	
Bulb lifetime (@ 2.7 hrs/day)	25 year(s)	Placement supported	Indoor
Colour consistency (SDCM)	6	EAN/UPC/GTIN (packaging)	8719514550070
Eye comfort	✗	EOC code	871951455007000
Power factor	0.51	SAP width per piece	14.000 cm
Rated luminous flux	806 lm		
Bulb current	70 mA		
Luminous efficacy	100 lm/W		

Features		Technical details	
Instant full light	✓	SAP length per piece	7.000 cm
		SAP height per piece	16.000 cm
		Input voltage	220-240 V
Logistics data			
		12NC Logistic code(s)	929002450232



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.